Networkable Product - 3,500 Lumens XGA DLP Projector



PJD6352



The ViewSonic networkable and wireless ready (optional) LightStream™ PJD6352 features 2x HDMI, 3,500 lumens, high resolution 4:3 (XGA 1024x768), majestic style and thoughtfully intuitive design. It also features a throw ratio of 1.51-1.97 which is ideal for replacing 3LCD projectors like EPSON, NEC, Hitachi, panasonic, Sony etc. Exclusive SuperColor™ 6-Segment Color Wheel maximises colour saturation and brightness for true-to-life image projection in any light, while exclusive SonicExpert™ speaker design powering a 10W speaker to deliver incredibly clear and audible sound. A neatly enclosed HDMI-MHL (Media High-Definition Link) compartment supports wireless media streaming from HDMI dongles or MHL connectors (like ViewSonic's WPG-300 and Google Chromecast), while a cable management hood connects onto the back of the projector to eliminate unsightly cable clutter. With horizontal and vertcal keystone correction, corner adjustment, 1.3x optical zoom, and easy network management, the PJD6352 provides flexible setup.



EPSON, NEC, Hitachi (3LCD projectors) Distance Match

With a throw ratio ranging from 1.51 to 1.97, this projector is primed to replace typical 3LCD projectors (EPSON, NEC, Hitachi, Panasonic, Sony) without having to move or re-install existing ceiling mounts. Also equipped with a 1.3x optical zoom lens, this projector provides mounting flexibility with a wider throw distance range.

Optional Wireless Presentation

This projector includes a hidden compartment with an integrated and secure HDMI-MHL port that lets you discretely stream multimedia content from a wireless dongle (like ViewSonic WPG-300 or Google Chromecast), or lets you connect to other devices via an HDMI cable.





2x HDMI with 3D Support

Equipped with two HDMI ports, this projector is perfect for connecting to any HDMI-enabled device such as laptops, tablets, games consoles and DVD or Blu-ray players. It also supports 3D images directly from 3D sources.

Beautiful Design with Rear Cable Cover

With its matte hairline finish, curved edges and tactile keypad this LightStream Projector stands out from the competition. A cable cover completes the look by hiding cable clutter and exposed ports at the rear.



Bright Images Less Lighting Limitations

Packed with 3,500 lumens and a high contrast ratio, the PJD6352 is guaranteed to produce bright images in any environment – even in rooms with high ambient light.







SuperColor™ Best in Class
Colour Accuracy


ViewSonic's proprietary SuperColour technology offers a wider colour range than conventional projectors for true-to-life colour performance in any light.

SuperColor™ 6-segment colour wheel maximizes brightness Increased by 15% or more with the highest color saturation over others in the same class.

SonicExpert Technology For Best-in-Class Sound

ViewSonic's exclusive SonicExpert technology incorporates a ported speaker chamber and a more powerful amplifier to deliver higher volume and the absolute best-in-class sound.





Easy Image Adjustments

Horizontal and vertical keystone correction and a corner adjustment feature eliminate crooked and distorted images for a perfectly proportioned picture every time.

Network Control of up to 256 Projectors

All LightStream PJD6 projectors come equipped with Crestron RoomView Express, an easy-to-use network management system that lets administrators remotely monitor and control up to 256 LightStream projectors from a single PC.







Easy Remote and App Use

A programmable
"MyButton" can be
configured to launch the
most commonly used
functions. A single
remote control can also

control up to eight projectors in the same venue. A Free App (called 'vRemote') also allows users to control a projector via a mobile device.

Technical Specifications

Product

Specification Resolution XGA (1024 x 768)

Brightness (ANSI Lumens) 3,500 Contrast (with Dynamic Contrast 15,000:1

Ratio)

Lamp Hour (Normal / Eco /

DynamicEco)

Throw Ratio in Meters (Wide ~

Tele)

5,000 / 6,000 / 10,000

 $1.51 \sim 1.97$

Optical Zoom 1.3x
Digital Zoom 2.0x

Screen Size 30" ~ 300"

Projection Offset 115% +/- 5%

Display Colours 1.07 Billion Colours

Keystone +/- 30° (Vertical)

Noise min (Normal / Eco) 32dB / 29dB

Speaker 10W x 1

Input Connectivity HDMI In 2 (1 is MHL)

VGA-in 2

Component Input shared with VGA-in

S-Video 1

| Audio-in (RCA pair) Audio-in (RCA pair) NA USB Type A USB Type B NA Mini USB Microphone in (3.5mm) Share with audio in 2 SD Card reader NA Output Connectivity VGA-out Audio-out (3.5mm) 1 Control RS232 (9 pin) Network Mangment (LAN cable) 12V Power Trigger NA PC / Mac Video/Audio Streaming Extend/Mirror display 4-in-1 Spit screen 1 to many projection NA IOS / Android DOC file streaming (read only) Live CAM Live Draw Live CaM Ves Clound service (Drop box) WiFi (single band or dual band) Pres Miracast DLNA Rridge to ethernet Video/Media streaming Yes Video/Media streaming Yes Video/Media streaming Yes Ves Miracast Video/Media streaming Yes | | | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|----------------------------------|-------|
| Audio-in (RCA pair) USB Type A USB Type B NA USB Type B NA Nini USB Nini USB Nicrophone in (3.5mm) Share with audio in 2 SD Card reader NA Output Connectivity VGA-out Audio-out (3.5mm) 1 Control RS232 (9 pin) 1 Network Mangment (LAN cable) 1 12V Power Trigger NA PC / Mac Video/Audio Streaming Extend/Mirror display 4-in-1 Spilt screen 1 to many projection NA IOS / Androld DOC file streaming (read only) Live CAM Live Draw Yes Clound service (Drop box) Viff (single band or dual band) Miracast Video/Media streaming Miracast Pes DLNA Miracast Pes DLNA Miracast NA Advanced Features 3D Compatible (optional PGD-350 3D) glasses required) Low Power Standby Account of Ves Wiff (spine) Splay Network Control Network Display Network Control Network Display Yes Network Control Network Display Yes Network Control Network Display Yes Auto Keystone NA | | Composite Input | |
| USB Type A | | | |
| USB Type B NA Mini USB 1 (USB display) Microphone in (3.5mm) Share with audio in 2 SD Card reader NA | | | |
| Mini USB (IVSB display) Microphone in (3.5mm) Share with audio in 2 SD Card reader NA Output Connectivity (VGA-out Audio-out (3.5mm) 1 Control RS232 (9 pin) 1 Network Mangment (LAN cable) 1 12V Power Trigger NA PC / Mac Video/Audio Streaming Yes Extend/Mirror display Yes 4-in-1 Spilt screen Yes 1 to many projection NA IOS / Android DOC file streaming (read only) Yes Live CAM Yes Live Draw Yes Clound service (Drop box) Yes Viff (single band or dual band) Yes Miracast Yes DLNA NA Bridge to ethernet NA Advanced Features 3D Compatible (optional PGD-350 3D glasses required) Interactive (optional PyEN-003 required) Low Power Standby <0.5W 3 sec. on / 0 sec. off Yes Vireles Natowork Control Network Control Network Display Yes Network Control Yes Network Display Yes Network Dis | | | |
| Microphone in (3.5mm) Share with audio in 2 SD Card reader VGA-out Audio-out (3.5mm) 1 Control R5232 (9 pin) Network Mangment (LAN cable) 12V Power Trigger NA PC / Mac Video/Audio Streaming Extend/Mirror display 4-in-1 Spilt screen 1 to many projection NA DOC file streaming (read only) Live CAM Live Draw Yes Clound service (Drop box) WiFi (single band or dual band) Wiracast Video/Media streaming Yes DINA Ridge to ethernet Video/Media streaming NA Advanced Features 35 D Compatible (optional PGD-350 3D glasses required) Interactive (optional P)-PEN-003 required) Low Power Standby Network Control Network Display Network Displa | | | |
| SD Card reader NA Output Connectivity VGA-out Audio-out (3.5mm) 1 Control RS232 (9 pin) Network Mangment (LAN cable) 12V Power Trigger NA PC / Mac Video/Audio Streaming Extend/Mirror display Yes 4-in-1 Spilt screen 1 to many projection NA IOS / Android DOC file streaming (read only) Live CAM Live Draw Yes Clound service (Drop box) WiFi (single band or dual band) Yes Miracast DLNA Bridge to ethernet NA Video/Media streaming Yes Advanced Features 3D Compatible (optional PGD- 350 3D glasses required) Interactive (optional PJ-PEN-003 required) Low Power Standby 3 sec. on / 0 sec. off Wireless Display Network Control Network Display Auto Keystone NA | | | |
| Output Connectivity VGA-out Audio-out (3.5mm) RS232 (9 pin) Network Mangment (LAN cable) 12V Power Trigger NA PC / Mac Video/Audio Streaming Extend/Miror display 4-in-1 Split screen 1 to many projection NA IOS / Android DOC file streaming (read only) Live CAM Live Draw Clound service (Drop box) Wiff (single band or dual band) Yes Miracast DLNA NA Bridge to ethernet Video/Media streaming Yes Advanced Features Advanced Features Advanced Features Advanced Features Advanced Features Advanced Features Na Viceos (Free No. 10 Sec. off Wireless Display Network Control Network Control Network Display Yes Auto Keystone NA | | | |
| Audio-out (3.5mm) 1 Control RS232 (9 pin) 1 Network Mangment (LAN cable) 1 12V Power Trigger NA PC / Mac Video/Audio Streaming Yes Extend/Mirror display Yes 4-in-1 Split screen Yes 1 to many projection NA IOS / Android DOC file streaming (read only) Yes Live CAM Yes Clound service (Drop box) Yes Wifi (single band or dual band) Yes Miracast Yes DLNA NA Bridge to ethernet NA Video/Media streaming Yes Advanced Features 3D Compatible (optional PGD-350 3D glasses required) Interactive (optional PJ-PEN-003 required) Low Power Standby <0.5W 3 sec. on / 0 sec. off Yes Wietless Display Yes Network Control Yes Network Control Yes Network Display Yes Auto Keystone NA | | SD Card reader | NA |
| Control RS232 (9 pin) Network Mangment (LAN cable) 12V Power Trigger NA PC / Mac Video/Audio Streaming Extend/Mirror display 4-in-1 Spilt screen 1 to many projection NA DOC file streaming (read only) Live CAM Live Draw Clound service (Drop box) WiFi (single band or dual band) Miracast Pes DLNA Bridge to ethernet NA Wideo/Media streaming Yes Advanced Features Adva | Output Connectivity | VGA-out | 1 |
| Network Mangment (LAN cable) 12V Power Trigger NA PC / Mac Video/Audio Streaming Extend/Mirror display 4-in-1 Spilt screen 1 to many projection NA IOS / Android DOC file streaming (read only) Live CAM Yes Live Draw Clound service (Drop box) WiFi (single band or dual band) Yes DLNA NA Bridge to ethernet NA Video/Media streaming Yes Advanced Features 3D Compatible (optional PGD-350 3D glasses required) Interactive (optional PJ-PEN-003 required) Low Power Standby 3 sec. on / 0 sec. off Yes Wireless Display Network Control Network Control Network Display Yes Auto Keystone NA | | Audio-out (3.5mm) | 1 |
| PC / Mac Video/Audio Streaming Extend/Mirror display 4-in-1 Spilt screen 1 to many projection NA IOS / Android DOC file streaming (read only) Live CAM Live Draw Clound service (Drop box) WiFi (single band or dual band) Miracast DLNA Bridge to ethernet Video/Media streaming Yes Advanced Features Advanced Features Advanced Features SD Compatible (optional PGD- 350 3D glasses required) Interactive (optional PJ-PEN-003 required) Low Power Standby 3 sec. on / 0 sec. off Wireless Display Network Control Network Control Network Display Yes Auto Keystone NA | Control | RS232 (9 pin) | 1 |
| PC / Mac Video/Audio Streaming Extend/Mirror display 4-in-1 Spilt screen 1 to many projection NA IOS / Android DOC file streaming (read only) Live CAM Live Draw Clound service (Drop box) WiFi (single band or dual band) Miracast DLNA Bridge to ethernet Video/Media streaming Yes Advanced Features Advanced Features Advanced Features SD Compatible (optional PGD- 350 3D glasses required) Interactive (optional PJ-PEN-003 required) Low Power Standby 3 sec. on / 0 sec. off Wireless Display Network Control Network Control Network Display Yes Auto Keystone NA | | Network Mangment (LAN cable) | 1 |
| Extend/Mirror display Yes 4-in-1 Spilt screen Yes 1 to many projection NA DOC file streaming (read only) Yes Live CAM Yes Live Draw Yes Clound service (Drop box) Yes WiFi (single band or dual band) Yes DLNA NA Bridge to ethernet NA Video/Media streaming Yes Advanced Features 3D Compatible (optional PGD-350 3D glasses required) Interactive (optional PJ-PEN-003 NA required) Low Power Standby <0.5W 3 sec. on / 0 sec. off Yes Wireless Display Yes Network Control Yes Network Display Yes Auto Keystone NA | | | NA |
| Extend/Mirror display 4-in-1 Spilt screen 1 to many projection NA DOC file streaming (read only) Live CAM Live Draw Clound service (Drop box) WiFi (single band or dual band) Miracast DLNA Bridge to ethernet NA Video/Media streaming Yes Advanced Features 3D Compatible (optional PGD-350 3D glasses required) Interactive (optional PJ-PEN-003 required) Low Power Standby 3 sec. on / 0 sec. off Wireless Display Network Control Network Display Yes Auto Keystone NA | PC / Mac | Video/Audio Streaming | Yes |
| 4-in-1 Spilt screen 1 to many projection NA DOC file streaming (read only) Live CAM Live Draw Clound service (Drop box) WiFi (single band or dual band) Miracast Pes DLNA Bridge to ethernet NA Video/Media streaming Yes Advanced Features 3D Compatible (optional PGD-350 3D glasses required) Interactive (optional PJ-PEN-003 required) Low Power Standby 3 sec. on / 0 sec. off Wireless Display Network Control Yes Network Control Yes Network Display Yes Auto Keystone NA | | | |
| 1 to many projection DOC file streaming (read only) Live CAM Live Draw Yes Clound service (Drop box) WiFi (single band or dual band) Miracast Yes DLNA NA Bridge to ethernet NA Video/Media streaming Yes Advanced Features 3D Compatible (optional PGD-350 3D glasses required) Interactive (optional PJ-PEN-003 required) Low Power Standby 3 sec. on / 0 sec. off Wireless Display Yes Network Control Network Control Yes Auto Keystone NA | | | |
| Live CAM Live Draw Yes Clound service (Drop box) Yes WiFi (single band or dual band) Yes Miracast Yes DLNA NA Bridge to ethernet NA Video/Media streaming Yes Advanced Features 3D Compatible (optional PGD-350 3D glasses required) Interactive (optional PJ-PEN-003 Required) Low Power Standby 3 sec. on / 0 sec. off Yes Wireless Display Yes Network Control Yes Auto Keystone NA | | | NA |
| Live CAM Live Draw Yes Clound service (Drop box) Yes WiFi (single band or dual band) Yes Miracast Yes DLNA NA Bridge to ethernet NA Video/Media streaming Yes Advanced Features 3D Compatible (optional PGD-350 3D glasses required) Interactive (optional PJ-PEN-003 NA required) Low Power Standby 3 sec. on / 0 sec. off Yes Wireless Display Yes Network Control Yes Network Display Yes Auto Keystone NA | iOS / Android | DOC file streaming (read only) | Yes |
| Clound service (Drop box) WiFi (single band or dual band) Yes Miracast Yes DLNA NA Bridge to ethernet NA Video/Media streaming Yes Advanced Features 3D Compatible (optional PGD-350 3D glasses required) Interactive (optional PJ-PEN-003 required) Low Power Standby 3 sec. on / 0 sec. off Yes Wireless Display Network Control Network Display Yes Auto Keystone NA | | | Yes |
| WiFi (single band or dual band) Miracast Pes DLNA NA Bridge to ethernet NA Video/Media streaming Yes Advanced Features 3D Compatible (optional PGD-350 3D glasses required) Interactive (optional PJ-PEN-003 NA required) Low Power Standby 3 sec. on / 0 sec. off Wireless Display Network Control Network Control Network Display Auto Keystone Yes NA | | Live Draw | Yes |
| Miracast Yes DLNA NA Bridge to ethernet NA Video/Media streaming Yes Advanced Features 3D Compatible (optional PGD-350 3D glasses required) Interactive (optional PJ-PEN-003 NA required) Low Power Standby <0.5W 3 sec. on / 0 sec. off Yes Wireless Display Yes Network Control Yes Network Display Yes Auto Keystone NA | | Clound service (Drop box) | Yes |
| DLNA Bridge to ethernet NA Video/Media streaming Yes Advanced Features 3D Compatible (optional PGD-350 3D glasses required) Interactive (optional PJ-PEN-003 NA required) Low Power Standby 3 sec. on / 0 sec. off Wireless Display Network Control Network Control Yes Network Display Auto Keystone NA | | WiFi (single band or dual band) | Yes |
| Bridge to ethernet Video/Media streaming Advanced Features 3D Compatible (optional PGD-350 3D glasses required) Interactive (optional PJ-PEN-003 NA required) Low Power Standby 3 sec. on / 0 sec. off Wireless Display Network Control Network Control Network Display Auto Keystone NA Yes | | | Yes |
| Advanced Features 3D Compatible (optional PGD-350 3D glasses required) Interactive (optional PJ-PEN-003 required) Low Power Standby <0.5W 3 sec. on / 0 sec. off Yes Wireless Display Yes Network Control Yes Network Display Yes Auto Keystone NA | | | |
| Advanced Features 3D Compatible (optional PGD-350 3D glasses required) Interactive (optional PJ-PEN-003 required) Low Power Standby <0.5W 3 sec. on / 0 sec. off Yes Wireless Display Yes Network Control Yes Network Display Yes Auto Keystone NA | | | NA |
| 350 3D glasses required) Interactive (optional PJ-PEN-003 NA required) Low Power Standby <0.5W 3 sec. on / 0 sec. off Yes Wireless Display Yes Network Control Yes Network Display Yes Auto Keystone NA | | | |
| Interactive (optional PJ-PEN-003 NA required) Low Power Standby <0.5W 3 sec. on / 0 sec. off Yes Wireless Display Yes Network Control Yes Network Display Yes Auto Keystone NA | Advanced Features | | Yes |
| 3 sec. on / 0 sec. off Wireless Display Yes Network Control Network Display Yes Auto Keystone NA | | Interactive (optional PJ-PEN-003 | NA |
| Wireless Display Network Control Yes Network Display Yes Auto Keystone NA | | Low Power Standby | <0.5W |
| Network ControlYesNetwork DisplayYesAuto KeystoneNA | | 3 sec. on / 0 sec. off | Yes |
| Network Display Yes Auto Keystone NA | | Wireless Display | Yes |
| Auto Keystone NA | | Network Control | Yes |
| | | Network Display | Yes |
| Microsoft Office Viewer Yes | | Auto Keystone | NA |
| | | Microsoft Office Viewer | Yes |

Sleep Timer Yes
Presentation Timer Yes
Password Protection Yes
Security Bar Yes
Keypad Lock Yes
Customized Start-up Screen NA

DynamicEco / Movie mode /

Contrast

Yes / Yes / Yes

Dimensions and

Power

Dimension (WxDxH) 316 x 228 x 103.7 mm

Net Weight 2.23kg

Power Source $100V \sim 240V / 50 \sim 60Hz$

Yes

NA

NA

NA

Yes

NA

Yes

Power Consumption 315W (Max)

Supplied

Accessories Power cord 1

VGA cable 1

HDMI cable NA

Remote Control (with batteries) 1

Cable cover Yes

Quick Start Guide & CD Yes

Carry bag NA

Optional

Accessories PGD-350 (3D glasses x1)

PJ-PEN-003 (2x interactive pens

and infrared module)

PJ-WMK-401 (wall mount kit for Ultra Short Throw projectors)

PJ-WPD-200 (USB WiFi dongle) WPG-300 (HDMI-MHL WiFi

dongle)

WPD-100 (USB WiFi dongle)
WPG-370 (wireless presentation

box)

Languages On Screen Display

English, French, Spanish, Thai, Korean, German, Italian, Russian,

Swedish, Dutch, Polish, Czech, Turkish, Portuguese, Finnish,

Indonesian, Indian, Arabic, T. Chinese, S. Chinese

ViewSonic® Limited Warranty

ViewSonic provides customers with the security of a manufacturers warranty against defected products. The type and duration of the applicable warranty service varies by product type, country of purchase and can also vary on an individual basis according to customer requirements agreed at time of purchase. The warranty will expire after the end of the warranty period.

For more product information, visit us at www.viewsoniceurope.com

All rights reserved by ViewSonic Corporation. All other Corporate names and trademarks are the property of their respective companies. E&EO. All prices and specifications are subject to change without written notice. Images are for illustrative purpose only. Terms & Conditions Apply.